

Precision
Machinery.
Trusted
Services.

SMARTWin[®]
machineries



**Filling
Automations**

For Inquiry: +91 99949 65595
www.smartwinautomations.com

BEATING/FLATTENING MACHINE



Working Width	1000 MM
Voltage	AC 220 V, 50 Hz
Beating Speed	4-20 m/min
Number Of Beating Sticks	6 pcs
Power	1.5 KW

CUSION TUCKING MACHINE



Stitch Length	0.1-10 mm
Pattern Size	Y30 mm × 40 mm
Needle Height	MTX190 (#19)
Work Clamp Height	117 mm
Voltage	AC 220 V, 50 Hz
Air Pressure	0.6 MPa
Power	320 W

ROLL PACKING

COMPRESS PACKING AND SEALING



Working Width	800-100 mm
Compression Left & Right Stroke	1200 mm / 1400 mm (Optional)
Size of Press Bar	Optional
Voltage	AC 220 V, 50 Hz
Air Pressure	0.4-0.8 MPa
Power	0.5-1 kW



Working Width	Up to 540 MM
Voltage	AC 380 V
Air Pressure	0.5-0.8 MPa
Power	4 kW

DUST REMOVING MACHINE



Working Width	800 MM
Voltage	AC 220 V, 50 Hz
Power	1.5 kW