

Precision
Machinery.
Trusted
Services.

SMARTWin[®]
machineries



Needle
Detector

For Inquiry: +91 99949 65595
www.smartwinautomations.com

HIGH-PRECISION DOUBLE HEAD



Detection Capability	0.8 - 1.2 mm
Detection Width	600 mm
Detection Height	100 - 150 mm
Power	265 W
Voltage	AC 220 V

WHOLE BOX INSPECTION



Detection Capability	3.5 mm
Detection Width	700 mm
Detection Height	380 mm
Power	260 W
Voltage	AC 220 V

PORTABLE NEEDLE INSPECTOR



Detection Capability	0.8 mm
Detection Area	35(W) X 50(L) mm
Power	9 V Dry Battery
Weight	About 200 g

HIGH-PRECISION BEDDING



Detection Capability	1.2 mm
Detection Width	1200 - 2500 mm
Detection Height	150 mm
Power	180 - 360 W
Voltage	AC 220 V

NEEDLE DETECTOR TOUCH SCREEN



Sensitivity	0.8mm-2.5mm
Working Width/Height	Optional
Power	90 W
Voltage	AC 220 V, 50 Hz

SHOE AND HAT SPECIFIC



Detection Capability	1.2 - 1.5 mm
Detection Width	380 - 600 mm
Detection Height	150 mm
Power	160 W
Voltage	AC 220 V